

**BASIC TECHNICAL PARAMETERS OF MTP HALLS**

Hall No.	Level	Exhibition area m <sup>2</sup>	Height m	Entrance		Goods lift kg	Dimensions of goods lifts			Passenger lift	Smoke detector	Max. floor load kPa	Service penetration sleeve through the floor	Floor type
				max width m	max height m		width m	height m	depth m					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	Ground floor	2,599.80	2.50-10.00	4.25	4.40	-	-	-	-	-	YES	30.00	E, W&S, CA, T	Concrete
1	Upper floor	850.59	2.50	-	-	-	-	-	-	-	YES	3.00	E, W&S, T	Concrete
2	Ground floor	2,478.50	2.90-10.00	4.10	4.20	-	-	-	-	-	YES	30.00	E, W&S, CA, T	Concrete
2	Upper floor	2,398.80	2.50	-	-	-	-	-	-	-	YES	5.00	E, W&S, T	Concrete
3	Ground floor	6,626.30	3.20—9.74	4.30	3.92	-	-	-	-	-	YES	30.00-variable	E, W&S, CA, T, I	Concrete
3	Upper floor	2,361.80	4.53-5.50	-	-	Trolley conveyor	-	-	-	-	YES	5.00	E, W&S, T, I	Concrete
3A	Ground floor	7,555.10	3.40-10.25/ 3.40-7.10-old part	4.20	3.90	3,300	1.75	2.50	3.28	Escalator	YES	30.00-variable	E, W&S, CA, T, I	Concrete
3A	Upper floor	2,604.00	3.80	-	-	-	-	-	-	-	YES	10.00	E, W&S, CA, T, I	Concrete
4	Ground floor	3,626.50	3.89-8.0	5.20	4.50	-	-	-	-	Escalator	YES	30.00	E, W&S, CA, T	Concrete
4	Upper floor	641.00	2.90-3.00	1.50	2.15	-	-	-	-	-	YES	-	E, W&S, T	Concrete-resin
5	Ground floor	13,469.20	3.70-8.20	4.46	4.48	-	-	-	-	Escalator	YES	30.00	E, W&S, CA, T, I	Concrete
5	Upper floor	1,411.20	3.80	-	-	-	-	-	-	Escalator	YES	10.00	E, W&S, T	Concrete
5A		3,079.50	8.00	4.90	4.60	-	-	-	-	-	YES	10.00/30.00	E, W&S, CA, T	Concrete
6	Ground floor	2,588.70	3.40 – 9.00	4.50	4.28	-	-	-	-	-	YES	30.00	E, W&S, CA, T, I	Concrete
6	Upper floor	475.00	4.30	-	-	-	-	-	-	-	YES	5.00	E, W&S, T	Concrete

Hall No.	Level	Exhibition area m <sup>2</sup>	Height m	Entrance		Goods lift kg	Dimensions of goods lifts			Passenger lift	Smoke detector	Max. floor load kPa	Service penetration sleeve through the floor	Floor type
				max width m	max height m		width m	height m	depth m					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
6A old part	Ground floor	2,806.90	4.10 – 9.00	4.50	4.28	3,500	2.10	2.50	3.10	YES	YES	30.00	E, W&S, CA, T, I	Concrete
6A old part	Upper floor	593.00	3.80	-	-	-	-	-	-	-	YES	5.00	E, W&S, T	Concrete
6A new part	Ground floor	3,211.00	4.10 – 9.00	6.00	6.20	-	-	-	-	-	YES	50.00 (20.00 in basement area)	E, W&S, CA, T	Concrete
6A new part	Upper floor	392.90	3.80	-	-	-	-	-	-	-	YES	5.00	E, W&S, T	Concrete
7	Ground floor	3,792.20	2.80-10.00	5.40	3.30-3.60	-	-	-	-	-	YES	5.00/30.00	E, W&S, CA, T, I	Concrete
7A	Ground floor	3,743.00	9.00	4.80	4.30	-	-	-	-	-	YES	30.00	E, W&S, CA, T, I	Concrete
8	Ground floor	2,481.00	7.00-9.00	4.20	4.70	-	-	-	-	-	YES	30.00	E, W&S, CA, T, I	Concrete
8A	Ground floor	2801,00	10,00	4.70	4.20	-	-	-	-	-	YES	50,00	E, W&S, T, I	Concrete
11	Ground floor	2,041.90	4.00-10.25	2.10	2.10	-	-	-	-	YES + Escalator	YES	30.00	E, W&S, T	Concrete
11	Upper floor	1,351.90	2.26-5.00	-	-	-	-	-	-	-	YES	3.00	E, W&S	Concrete
12	Ground floor	3,045.70	3.30/3.80/8.00	3.50	3.50	-	-	-	-	-	YES	30.00	E, W&S, T	Concrete
12	Upper floor	2,555.00	3.20/3.80	-	-	-	-	-	-	-	YES	5.00	E, W&S, T	Concrete
15	Level 0	3,884.90	3.80	4.40	4.30	3,200x2	1.70	2.50	2.70	YES	YES	X	-	Concrete with fitted carpet

Hall No.	Level	Exhibition area m <sup>2</sup>	Height m	Entrance		Goods lift kg	Dimensions of goods lifts			Passenger lift	Smoke detector	Max. floor load kPa	Service penetration sleeve through the floor	Floor type
				max width m	max height m		width m	height m	depth m					
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
15	Level 1	4,150.33	3.80	4.40	4.40	3,200x2	1.70	2.50	2.70	YES	YES	X	-	Concrete with fitted carpet

W&S – water + sewage E – power supply CA – compressed air T – telephone I – Internet

X – system stand construction (lightweight) – acceptable in Hall 15 on level 0 and 1 after detailed arrangements with MTP, if location conditions permit.

Hall 15, due to the infrastructure and to its assignment as the congress centre, has a limited use of level 0 and level 1 for exhibition purposes and for realisation of services related to these purposes. Level 2 of exhibition hall 15 is out of use for exhibition purposes.